


Note: Last time, while we were looking at set operations, we briefly introduced the concept of a Venn Diagram. Venn Diagrams turn out to be a very important and useful tool for understanding sets. We will now look at some of the uses of these diagrams in more detail.

Two Set Venn Diagrams: The following diagram shows the standard Venn Diagram for two sets A and B .




Looking carefully at this diagram, we see that it is divided into 4 regions. These regions represent the elements in A but not in B , the elements in both A and B , the elements in B but not in A , and the elements in neither A nor B .

We will use two set Venn diagrams in 2 main ways.


- We can use Venn diagrams to illustrate the result of carrying out set operations by shading regions in the Venn diagram.

Example: Use a Venn diagram to represent the set $(A \cap B)'$




- We can use Venn diagrams to count the number of elements of each type by placing numbers in the regions of the Venn diagram.

Example:



From the diagram above, we see that $n(A) = 17$, $n(B) = 15$, $n(B') = 28$, and $n(((A \cup B)')) = 17$

Three Set Venn Diagrams: The following diagram shows the standard Venn Diagram for three sets A , B , and C .




Looking carefully at this diagram, we see that it is divided into 8 regions. These regions represent the elements in A , B , and C , in A and B but not C , in A and C but not B , in B and C but not A , in only A , only B , only C , and the elements outside of A , B , and C .


We can once again use three set Venn diagrams in 2 main ways.

- We can use Venn diagrams to illustrate the result of carrying out set operations by shading regions in the Venn diagram.


Example: Use a Venn diagram to represent the sets $(A - B) \cup C$, $(B - A) \cap C$ and $(A \cup B \cup C)'$



$$(A - B) \cup C$$




$$(B - A) \cap C$$



$$(A \cup B \cup C)'$$

- We can use Venn diagrams to count the number of elements of each type by placing numbers in the regions of the Venn diagram.

Example:



From the diagram above, we see that $n(A) = 10$, $n(B) = 15$, $n(A \cap C) = 3$, and $n(((B \cup C) - A)) = 14$

Examples: Sometimes, you will be asked to work backwards from a Venn Diagram. That is, given a diagram with certain regions shaded, you will be asked to write a combination of set operations that can be used to describe the shaded regions.

