

1. Evaluate each sum.

$$(a) \sum_{k=1}^5 k(k+2)$$

$$(b) \sum_{k=1}^{24} 5$$

$$(c) \sum_{k=2}^5 \frac{2^k}{k}$$

2. Which formula is not equivalent to the other two?

$$(a) \sum_{k=1}^4 (k-1)^2$$

$$(b) \sum_{k=-1}^3 (k+1)^2$$

$$(c) \sum_{k=-3}^0 k^2$$

3. Express each sum in terms of  $n$ .

$$(a) \sum_{k=1}^n (4k+3)$$

$$(b) \sum_{k=1}^n (k^2 + 2k + 4)$$

$$(c) \sum_{k=2}^n (k-2)^3$$

4. Express each of the following using summation notation.

$$(a) 4 + 10 + 16 + 22 + \cdots + 46$$

$$(b) \frac{1}{5} + \frac{2}{6} + \frac{3}{7} + \frac{4}{8} + \cdots + \frac{11}{15}$$

$$(c) 1 + \frac{x}{2} + \frac{x^2}{3} + \frac{x^3}{4} + \cdots + \frac{x^n}{n+1}$$

5. Consider the graph of  $f(x) = x^2 + 4$  between 2 and 6.

(a) In the space provided, sketch the graph of  $f(x)$ , shade in the region under  $f(x)$  on the interval  $[2, 6]$ .

(b) Approximate the area under  $f(x)$  on  $[2, 6]$  using a right hand sum and 4 rectangles.

(c) Approximate the area under  $f(x)$  on  $[2, 6]$  using a midpoint sum and 4 rectangles.

(d) Find the exact area under using right-hand endpoints.

(e) Find the exact area under using left-hand endpoints.