


**Definition:** Let  $f$  be a function defined on an open interval containing  $a$ , except possibly at  $a$  itself, and let  $L$  be a real number. The statement  $\lim_{x \rightarrow a} f(x) = L$  means that for every  $\epsilon > 0$  there is a  $\delta > 0$  such that if  $0 < |x - a| < \delta$ , then  $|f(x) - L| < \epsilon$ .



**Example 1:** Let  $f(x) = \sqrt[3]{x-1}$  and let  $a = 9$  and  $L = 2$ . Let  $\epsilon = .001$ . Find  $\delta > 0$  such that if  $0 < |x - a| < \delta$ , then  $|f(x) - L| < \epsilon$ .

**Solution:** We need  $|\sqrt[3]{x-1} - 2| < .001$ . That is,  $-.001 < \sqrt[3]{x-1} - 2 < .001$  or  $1.999 < \sqrt[3]{x-1} < 2.001$ . Cubing both sides, we obtain:  $7.988006 < x - 1 < 8.012006$ , or  $8.988006 < x < 9.012006$ .

Notice  $9 - 8.988006 = .011994$ , while  $9.012006 - 9 = .012006$ . Therefore, taking  $\delta = .01$  will suffice. That is, if  $0 < |x - 9| < .01$  (or  $8.99 < x < 9.01$ ), then  $|\sqrt[3]{x-1} - 2| < .001$

**Example 2:** Use the definition of the limit of a function to prove that  $\lim_{x \rightarrow 2} 5 - 2x = 1$

Let  $\epsilon > 0$ . Suppose that  $|f(x) - L| < \epsilon$ .

Then  $|5 - 2x - 1| = |4 - 2x| < \epsilon$ .

But then  $2|2 - x| = 2|x - 2| < \epsilon$ , so  $|x - 2| < \frac{\epsilon}{2}$ .

Therefore, let  $\delta \leq \frac{\epsilon}{2}$ , and suppose  $|x - 2| < \delta$ .

Then  $2|x - 2| = 2|2 - x| < 2\delta \leq \epsilon$ .

Therefore  $|4 - 2x| = |5 - x - 1| < \epsilon$ , or  $|f(x) - 1| < \epsilon$ .

Thus  $\lim_{x \rightarrow 2} 5 - 2x = 1$