


1. A function  $f$  is graphed below.



(a) Find  $f(-5)$ ,  $f(0)$ , and  $f(4)$

(b) Find the domain and range of  $f$

(c) Find the intervals where  $f'(x)$  is positive

(d) Find the intervals where  $f''(x)$  is negative.

(e) Find  $\lim_{x \rightarrow 4} f(x)$

(f) Find  $\lim_{x \rightarrow 0^+} f(x)$

(g) Find  $\lim_{x \rightarrow -7} f(x)$

2. Evaluate each of the following. You do not need to simplify your answers.

(a)  $\frac{d}{dx} \left[ 4\sqrt{x} - \frac{2}{\sqrt{x}} + 5 \right]$

(d)  $\frac{d}{dt} \left( \frac{8t + 15}{1 - \cos(t)} \right)$

(b)  $\frac{d}{dx} \left( \frac{2x + 3}{\sqrt{x^3}} \right)$

(e)  $\frac{d}{dx} ((8x - 1)(x^2 - 3x + 2)(x + 5))$

(c)  $\frac{d}{dx} (x^3 \sin(x))$

(f)  $\frac{d^2}{dx^2} \left( \sqrt{2x^2 + x - 1} \right)$

(g)  $\frac{d}{dx} \left( x\sqrt{25-x^2} \right)$

(i)  $\frac{d^3}{dx^3} (\tan(x))$

(h)  $\frac{d}{dx} \left( \frac{3x \cos(x)}{2+x^2} \right)$

3. Find  $\frac{dy}{dx}$  for an implicit function defined by the equation  $x^2 - xy + y^2 = 4$

4. Find the equation of the tangent line to the graph of  $f(x) = \tan(2x)$  when  $x = \frac{\pi}{8}$

5. Evaluate each of the following:

(a)  $\int (3t - 4)^5 dt$

(d)  $\int \frac{x^4 - 2x^3}{x^2} dx$

(b)  $\int_{\frac{\pi}{6}}^{\frac{2\pi}{3}} \sin(x) dx$

(e)  $\int \tan^2(x) \sec^2(x) dx$

(c)  $\int_0^1 (4x^3 - 7x^2 + 3x - 2) x dx$

(f)  $\int_{\frac{\pi}{6}}^{\frac{\pi}{2}} \sin^4(x) \cos(x) dx$

(g) 
$$\int \frac{x^2 - 2x - 3}{x + 1} dx$$

(i) 
$$\int_{13}^{20} x\sqrt{x^2 - 144} dx$$

(h) 
$$\int_{-2}^3 (2x - 5)(3x + 1) dx$$

(j) 
$$\int \frac{7x^2 \cos(x^3)}{\sin^3(x^3)} dx$$

6. Use the Fundamental Theorem of Calculus to evaluate each of the following:

(a) 
$$\int \frac{d}{dx} (\sin(\sqrt[3]{x})) dx$$

(b) 
$$\frac{d}{dx} \int \tan(x^2 + 1) dx$$

(c) 
$$\frac{d}{dx} \int_0^{\frac{\pi}{4}} \frac{\sin(3x^2)}{\cos(2x)} dx$$