

Sustainable Peasant and Family Farm Agriculture Can Feed the World

Via Campesina Views



Jakarta, September 2010

cover picture: Douglas Mansur

Sustainable Peasant and Family Farm Agriculture Can Feed the World

by La Vía Campesina

The 2008 world food price crisis, and more recent price hikes this year, have focused attention on the ability of the world food system to “feed the world.” In La Vía Campesina, the global alliance of peasant and family farm organizations, we believe that agroecological food production by small farmers is the agricultural model best suited to meeting future food needs.

The contemporary food crisis is not really a crisis of our ability to produce. It is more due to factors like the food speculation and hoarding that transnational food corporations and investment funds engage in, the global injustices that mean some eat too much while many others don’t have money to buy adequate food, and/or lack land on which to grow it, and misguided policies like the promotion of agrofuels that devote farm land to feeding cars instead of feeding people. However, we cannot deny that our collective ability to grow enough food — including, crucially, how we grow it — is an important piece in the jigsaw puzzle of ending hunger. It is here where the corporate agribusiness model of large-scale industrial monocultures is failing us, and where peasant-based sustainable farming systems based on agroecology and Food Sovereignty offer so much hope (Altieri, 2009).

Principles of Sustainable Peasant Agriculture

We can find examples of sustainable peasant and family farm agriculture all over the planet, though the names we use vary greatly from one place to another, whether agroecology, organic farming, natural farming, low external input sustainable agriculture, or others. In La Via Campesina we do not want to say that one name is better than another, but rather we want to specify the key principles that we defend. Truly sustainable peasant agriculture comes from a combination of the recovery and revalorization of traditional peasant farming methods, and the innovation of new ecological practices.

Among the key principles are those of agroecology (Altieri, 2002):

1. Enhance recycling of biomass and optimize nutrient availability and balance nutrient flow.
2. Secure favorable soil conditions for plant growth, particularly by managing organic matter, ground cover, and enhancing soil biotic activity.
3. Minimize losses of solar energy, air and water by way of microclimate management, water harvesting and soil management through increased soil cover.
4. Species and genetic diversification of the agroecosystem in time and space.
5. Enhance beneficial biological interactions and synergisms among agrobiodiversity components, to promote key ecological processes and services.

We do not believe that the mere substitution of “bad” inputs for “good” ones, without touching the structure of

monoculture, is sustainable (Rosset and Altieri, 1997).

The application of these principles in the complex and diverse realities of peasant agriculture requires the active appropriation of farming systems by peasants ourselves, using our local knowledge, ingenuity, and ability to innovate.

We are talking about relatively small farms managed by peasant families and communities. Small farms permit the development of functional biodiversity with diversified production and the integration of crops, trees and livestock. In this type of agriculture, there is less or no need for external inputs, as everything can be produced on the farm itself.

The Corporate Food System Cannot Feed the World

With an estimated 925 million hungry people in the world, and rampant illnesses caused by the food system — like malnutrition, obesity, diabetes, heart disease, cancer and swine flu — ravishing many of the rest of us, it is no exaggeration to say that the dominant corporate food system is already failing to provide us with adequate and healthy food. The fact is that under the rules of this system, food flows through the global economy from areas of poverty and hunger toward areas of wealth and abundance. And food is being homogenized into an unhealthy global diet consisting largely of processed fat, sugars, starch, and carcinogenic chemical residues, which is deficient in fiber, protein, vitamins, fruits and vegetables.

Finally, the production methods used to produce corporate food — monoculture, heavy machinery, excessive irrigation, chemical pesticides and fertilizers, GMOs, etc. — are rapidly degrading our planet's best soils through compaction, salinization, sterilization, erosion and loss of above- and

below-ground functional biodiversity. Yields which once rose every decade through the technologies of the so-called “Green

Revolution” have now leveled off and in many regions are actually in decline, as can be seen in Figure 1 (Kundu et al., 2007; also see for example Radford et al., 2001; and Mulvaney et al., 2009).




Figure 1. The long-term decline of yields under conventional management based on chemical fertilizers in India. Source: Kundu et al., 2007.

There is no future for humanity or for the planet in this dominant food system. In fact, there is scarcely a present.

Peasants and Family-farmers Feed People Today

Despite the fact that agribusiness controls the majority of arable land – and especially of good quality land – in almost every country in the world, it is due largely to peasants and family farmers that we have the food that is available today. In country after country, small farmers control less than half of the farm land, yet produce the majority of the food that is consumed, as shown in Figure 2. A typical example comes from the most recent agricultural census in Brazil. Peasants and family farmers hold just 24.3% of farm land, though they make up 84.4% of all farms and gainfully employ three times as many people as does agribusiness (which in Brazil depends on starvation wages, with numerous recent cases of actual slavery and indentured servitude).

On the one quarter of arable land that they farm, these small farmers produce 87% of all cassava, 70% of beans, 46% of maize, 34% of rice, 58% of milk, 50% of poultry, 59% of pork and 30% of beef, and 38% of coffee, among many other food products. Peasants have less than 25% of farm land, yet they generate 40% of all agricultural value. And Brazil is a country

noted worldwide for the supposed productivity and efficiency of its national and transnational agribusinesses, and for its concentration of landholdings in the hands of a wealthy few. Yet it is still Brazilian peasants and family farmers that feed the Brazilian people, a pattern repeated around the world. Peasants and family farmers have a food producing vocation. Agribusiness has an export vocation. Brazilian agribusiness is more likely to feed cattle in Europe or produce ethanol for automobiles than it to feed a hungry child in Brazil.

Half of the people in the world are peasants

There are 1.5 billion peasants on 380 million farms; 800 million more growing urban gardens; 410 million gathering the hidden harvest of our forests and savannas; 190 million pastoralists and well over 100 million peasant fishers. At least 370 million of these are also indigenous peoples. Together these peasants make up almost half the world's peoples and they grow at least 70% of the world's food. (ETC, 2009)




Figure 2. Peasants feed the world today (ETC, 2009)
<http://www.etcgroup.org/en/node/4921>

To Feed Future Populations, We Must Nurture the Land

Peasants feed people today, but how will we feed people tomorrow? If we follow the path of “business as usual,” we will find ever more land in the hands of the agribusinesses that are failing to feed people well today, and that are destroying the productive capacity of the land for future generations. Corporations move their production around the world through global outsourcing, and they have no attachment to any given place. They have no incentive to conserve, restore and build soil fertility. Rather they extract the most they can as fast as they can, in the search for quick profits, and abandon a given area once production passes its peak and begins to drop through soil degradation. They move on, outsource from somewhere else, and leave devastated agroecosystems and local economies in their wake.

Peasant and small farm families, on the other hand, are rooted in the place where they and their ancestors have farmed for generations, and where their children and grandchildren will farm in the future. This gives them reasons to nurture the productive capacity of the land and surrounding environment. It is precisely in peasant and family agriculture where we see both traditional sustainable farming practices and the rapidly growing field of agroecology.

Agroecology Conserves and Restores Soils and Agroecosystems

With so many degraded soils with falling productivity around the world, it is critical that we use restorative farming practices based on agroecology and traditional methods. Among the principles of agroecology are the incorporation of biomass and organic matter into the soil, the protection of the soil from high temperatures and erosion through mulching, cover cropping, contour planting, etc., and the promotion of a healthy soil biology and biodiversity (Pretty, 1995; Altieri et al. 2000; Altieri, 2002). In Central America, tens of thousands

of peasant farmers have recovered eroded hillsides and restored and boosted productivity through the farmer-to-farmer agroecology movement (Holt-Giménez, 2006). While industrial monoculture degrades soils and drives the loss of productivity, agroecology is restorative.

Philippines: Organic rice produces more and better

Research in the Philippines shows that rice yields in organic farms are 37.4% higher than in conventional farms during the dry season. The research shows that not only is the yield in tons per ha higher on organic farms, but the grains in the panicle are also heavier (Table 3). Filled grains per panicle were highest in the organic farms, while percent unfilled grains were comparable in organic and conventional farms (Mendoza, 2002).

Table 1. Comparative grain features (filled-unfilled grains, weight of 1000 grains) in Organic and Conventional farms.

Farm	Filled grain per panicle	Unfilled grain per panicle	% Unfilled Grain	Weight of 1000 grains (g)
Organic Farms	91.5	24.1	20.0	27.4
Conventional farms	70.8	19.5	22.0	25.7

By restoring soils and agroecosystems, agroecology is also a reliable way to control the outbreak of pests. For instance, in East Africa the push-pull polyculture system is very effective for control of Lepidopteran stemborers. It uses other plants in the borders of maize fields, which act as trap crops attracting stemborer colonization away from maize (the pull) and other plants intercropped with maize that repel the stemborers (the push). Participating farmers in Kenya are reporting a 37% to 129% percent increase in maize yield, without chemical pesticides (Khan et al., 2008).

Agroecology Can Produce More and Feed the World

Despite the common misconception that the industrial farming systems of agribusiness are the most productive, many studies have shown in recent years that: 1) small farms are more productive than large farms (Rosset, 1999), and 2) “agroecological,” “sustainable” and/or “organic” systems are as productive, and in many cases, more productive, than chemical-dependent monocultures (Badgley et al., 2007; Pretty and Hine, 2001; Pretty et al., 2003). The most productive systems per unit area are highly integrated agroecological systems on small farms.

Figure 3 graphs the available data relating total production per unit area versus farm size for those countries for which such data is available. Although what constitutes “small” and what constitutes “large” may vary from country to country, in all cases smaller farms outperform larger farms by a wide margin (Rosset, 1999)

Research shows that in developing countries organic farming systems on the average yield 2.7 times more per hectare than do non-organic systems. In developed countries they yield about the same, while on a global level they yield 1.3 times as much (Badgley et al., 2007).




Figure 3.
The relationship
between farm size
and total output in
different countries
(Rosset, 1999).

In fact, there is no real argument in favor of industrial agriculture if we are truly concerned about feeding future populations at a global level.

In La Vía Campesina we have conducted our own research in various parts of the world. We observed that more agroecological farms are substantially more productive both per unit of area and per amount of labor. A more integrated farm is one that combines crops and livestock, intercrops and rotates crops, employs agroforestry, and generally exhibits a higher level of functional biodiversity (see example in Figure 3).




Figure 3. Farm productivity in Cuba from a lesser (Category 1) to a greater (Category 3) degree of agroecological integration (Machín Sosa et al.,

Such systems are not only more productive but have far lower costs, especially in terms of expensive farm chemicals and machinery (Machín Sosa et al., 2010). Many of the peasant and family farm families that belong to our member organizations in India, for example, are part of the *four million*

member “Zero Budget Natural Farming” movement, where farmers buy no off-farm inputs whatsoever, relying instead on manuring, mulching, cover cropping and earthworms to farm successfully from both an economic and an environmental perspective.

Peasant agroecological systems benefit greatly from ready access to the traditional seed varieties that are increasingly under threat of extinction under the corporate- controlled commercial seed regime. For this reason our member organizations in Chile, Cuba, Brazil, Tanzania, Indonesia, Sri Lanka, Thailand, France and elsewhere, are actively involved in conserving and multiplying peasant seed varieties.

Agroecology is More Resilient to Climate Change

By the same token, integrated agroecological farming systems are widely recognized to be more adaptive and resilient to climate change, including droughts, hurricanes, temperature changes, and shifting planting dates. The higher level of on-farm diversity under agroecology means that if one crop is negatively affected, another one is likely to compensate for it. Mulch and green manures that cover soils protect them from erosion, high temperatures and conserve moisture. A diversity of varieties, as well as greater within variety genetic diversity, make peasant farms more able to adapt to changing conditions than homogenous commercial agriculture (Borron, 2006; Altieri and Koohafkan, 2008; Altieri and Nicholls, 2008; Chappell and LaValle, 2009).

Our own research demonstrates the resilience of agroecological systems to the devastating impacts of hurricanes. In one case we compared multiple layer peasant agroecological systems to monoculture systems, and found that the complex systems suffered about 50% loss – mostly the taller layers – with the initial impact of the storm, while monocultures suffered losses of greater than 80%. After the

initial losses, the multiple layer farms recovered their yield potential rapidly by compensatory growth from lower level crops, while monocultures did not, suffering near total losses (Machín Sosa et al., 2010). It was clear in the conclusions to our study that in countries and regions most likely to suffer severe climate events, agroecological systems are not an option but a necessity.

Agroecological Production Requires Farmer Organizations and Supportive Public Policies

If we can agree that small farm agroecological systems are more productive, conserve soils and restore the lost productivity of degraded systems, and are more resilient to climate change, then the key question is not whether we should, but how we can, promote the transition to such systems. The experience of Central America (Holt-Giménez, 2006) and Cuba (Machín Sosa et al., 2010), show us that conventional top-down research and extension systems, as well as the “project-based” methods of many governments and NGOs, fail to effectively support small farmers in the transition. Because agroecological systems require the mobilization of farmer ingenuity, the methods that work best are those in which farmers themselves become the protagonists in recovering, developing and sharing methods. This can only happen inside of farmer and peasant organizations, through farmer-to-farmer and community based methods, farmer training schools, etc. (Machín Sosa et al., 2010). However, farmer organizations are swimming against the tide when we cannot count on effective public policies. Such policies must include genuine agrarian reform to put farm land into the hands of peasants and family farmers, an end to open and hidden subsidies to industrial farming methods, including chemical inputs and GMOs, the reversal of the free trade policies that make farming unprofitable, and an overall shift from policies that are hostile to small farmers and their organizations to ones that support

our own efforts to innovate and develop agroecological farming methods and share them horizontally. The time has come to act, to build true food sovereignty in each country, based on agroecological farming by peasants and family farmers in control of our own destinies.

We Demand Public Policies to Support Sustainable Peasant and Family Farm Agriculture:

- Implement genuine agrarian reform, put an end to “land grabbing,” and respect our land and territories.
- Reorient agriculture research and extension systems to support farmer-to-farmer agroecological innovation and sharing managed by farmer organizations as the keystone to up-scaling agroecology.
- Change the way agronomists are trained. Agroecology and social science must play a central role in curricula, which should emphasize respect for farmer knowledge and the importance of farmer organizations.
- Broad implementation of Food Sovereignty policies like the protection of national markets from dumping, hoarding and speculation by corporations, and systems to guarantee fair prices for peasant food production.
- Support peasant seed systems and repeal anti-peasant seed laws.
- Reorient public sector food procurement to give priority to ecological peasant production and fair prices.
- Support farm-to-city direct marketing of ecological production through farmers’ markets, linking rural and urban cooperatives, etc.
- End to subsidies for agrochemicals, and ban toxic pesticides and GMOs.
- Break-up and prohibit national and global corporate agrifood monopolies and oligopolies that capture and distort policies to their own profit-taking ends, at the expense of farmers and consumers alike.

Bibliography

- Altieri, Miguel A. 2002. Agroecology: the science of natural resource management for poor farmers in marginal environments. *Agriculture, Ecosystems and Environment* 93:1–24.
- Altieri, Miguel. 2009. Agroecology, small farms, and food sovereignty. *Monthly Review* 61(3):102–113.
- Altieri, Miguel A, P. Rosset and L.A. Thrupp. 2000. The potential of agroecology to combat hunger in the developing world. Institute for Food and Development Policy, Food First Policy Brief no. 2, 12 pp.
- Altieri, Miguel A., and Parviz Koohafkan. 2008. *Enduring Farms: Climate Change, Smallholders and Traditional Farming Communities*. Penang: Third World Network.
- Altieri, Miguel A., and Clara Nicholls. 2008. Los impactos del cambio climático sobre las comunidades campesinas y de agricultores tradicionales y sus respuestas adaptativas. *Agroecología* (Spain) 3:7–28.
- Badgley, C., J.K. Moghtader, E. Quintero, E. Zakem, M.J. Chappell, K.R. Aviles, Vázquez, A. Samulon, and I. Perfecto. 2007. Organic agriculture and the global food supply. *Renewable Agriculture and Food Systems* 22(2): 86–108.
- Borron, Sarah. 2006. *Building Resilience for an Unpredictable Future: How Organic Agriculture Can Help Farmers Adapt to Climate Change*. Rome: Food and Agriculture Organization of the United Nations.
- Chappell, Michael Jahi, and Liliana A. LaValle. 2009. Food security and biodiversity: can we have both? An agroecological analysis. *Agriculture & Human Values*, published on-line DOI 10.1007/s10460-009-9251-4.
- ETC Group. 2009. Who will feed us? Questions for the food and climate crisis. ETC Group Communiqué 102:1–34.
- Holt-Giménez, Eric. 2006. *Campesino a Campesino: Voices from Latin America's Farmer to farmer Movement for Sustainable Agriculture*. Oakland: Food First Books.
- Khan, Z.R., C. A.O. Midega, D.M. Amudavi, A. Hassanali and J.A. Pickett. 2008. On-farm evaluation of the 'push-pull' technology for the control of stemborers and striga weed on maize in western Kenya. *Field Crops Research* 106(3):224–233.
- Kundu, S., Ranjan Bhattacharyya, Ved Prakash, H.S. Gupta, H. Pathak, and J. K. Ladha. 2007. Long-term yield trend and sustainability of rainfed soybean–wheat system through farmyard manure application in a sandy loam soil of the Indian Himalayas. *Biology & Fertility of Soils* 43:271–280.

- Machín Sosa, Braulio, Adilén María Roque Jaime, Dana Rocío Ávila Lozano and Peter Michael Rosset. 2010. *Revolución Agroecológica: El Movimiento de Campesino a Campesino de la ANAP en Cuba*. Havana: ANAP and La Vía Campesina. <http://www.viacampesina.org/downloads/pdf/sp/2010-04-14-rev-agro.pdf>
- Ministério do Desenvolvimento Agrário (MDA). 2009. *Agricultura familiar no Brasil e o Censo Agropecuário 2006*. Brasília: Ministério do Desenvolvimento Agrário.
- Mendoza, T. 2002. Impact Analysis of Organic Farming in Rice Agroecosystems In the Philippines. First RDA/ARNOA International Conference, RDA and Dankook University of Korea, November 12-15, 2002.
- Mulvaney, R.L, S.A Khan., and T.R. Ellsworth. 2009. Synthetic nitrogen fertilizers deplete soil nitrogen: a global dilemma for sustainable cereal production. *Journal of Environmental Quality* 38:2295-2314.
- Pretty, J., 1995. *Regenerating Agriculture: Policies and Practices for Sustainability and Self-Reliance*. London: Earthscan.
- Pretty, J., and R. Hine. 2001. Reducing food poverty with sustainable agriculture: A summary of new evidence. Final report from the “SAFE-World: The potential of sustainable agriculture to feed the world” Research Project. Wivenhoe Park, UK: Centre for Environment and Society, University of Essex.
- Pretty J., J.I.L Morison and R.E. Hine. 2003. Reducing food poverty by increasing agricultural sustainability in developing countries. *Agriculture, Ecosystems and Environment* 95:217–234.
- Radford, B. J., D. F. Yule, D. McGarry, and C. Playford. 2001. Crop responses to applied soil compaction and to compaction repair treatments. *Soil and Tillage Research* 61(3-4):157-166.
- Rosset, P.M. 1999. The Multiple Functions and Benefits of Small Farm Agriculture in the Context of Global Trade Negotiations. Institute for Food and Development Policy, *Food First Policy Brief* No. 4.
- Rosset, P.M., and M.A. Altieri. 1997. Agroecology versus input substitution: a fundamental contradiction of sustainable agriculture. *Society & Natural Resources* 10(3): 283-295.