



NMR, IR


1. Predict the ^1H NMR spectrum. Include approximate chemical shifts (1's, 2's, etc.), the integration, and the splitting (can use "s" for singlet; "d" for doublet; "t" for triplet; "q" for quartet, and "m" for multiplet, anything more complex than a quartet). Note: for signals that are symmetry equivalent, do not list them twice.



2. Predict the ^{13}C NMR spectrum. Include the approximate chemical shifts (220-160, 160-100, 100-50, or 50-0) and the splitting (q, t, d, s).




3. Match the following structures with the listed feature IR signals.




A

1710



B

3300-3400




C

1680, 3300-2500

Solve the Structures for the Following. If you get a structure perfect, you will get full credit. If you do not get a structure perfect, you may still get some partial credit. Thus, it is in your interest to show some of your work, make a structure, or tell me what you know for sure.

4. $C_5H_{12}O$

IR: Nothing Interesting




5. $C_{11}H_{14}O$

IR: 1710

30(f)


^{13}C NMR: 202 (s), 152 (s), 134 (d), 127 (d), 122 (d), 42 (d), 35 (q), 20 (q)



6. $C_6H_{12}O_2$


IR: 1740

^{13}C NMR: 175 (s), 65 (q), 42 (t), 37 (d), 18 (q)



7. C₅H₉OCl


IR: 1710




8. C₁₁H₁₆O

IR: 3300-3200

¹³C NMR: 148 (s), 144 (s), 133 (d), 124 (d), 80 (d), 42 (t), 35 (t), 30 (q), 20 (q)



9. $C_5H_{12}O$



Carbon 13 NMR

10. $C_4H_7BrO_2$ IR: 3300-2500, 1710

3H, t, 1.08

2H, multiplet, 1.89

1H, t, 4.23

1H, s (broad), 10.97