

JASPERSE CHEM 350 TEST 3

(18+1) - 9 = 10H

- Ch. 7 Structure and Synthesis of Alkenes
- Ch. 8 Reactions of Alkenes
- 1. How many elements of unsaturation are in the formula C_8H_9N ?
 - a. 0 b. 1 c. 2 d. 3 e 4 f 5
- 2. Provide the proper IUPAC name for the alkene shown below.




3. Provide the proper IUPAC name for the alkene shown below.



4. Draw an acceptable structure for 4-phenyl-1-butene.




5. Draw the alkene of formula C_4H_8 which evolves the most heat per mole upon hydrogenation




6. Choose the most stable alkene among the following.




7. Draw the major product of the following reaction.




8. Draw the major product and the mechanism.





9. Which of the following best describes the geometry about the carbon-carbon double bond in the alkene below?




13. Draw the major product.









17. Complete the following reaction and provide a detailed, step-by-step mechanism for the process.



18. Suggest a reasonable detailed, step-by-step mechanism for the reaction shown below.




19. Provide the reagents necessary to complete the following transformation. (2 steps minimum).



- 20. Both (E)- and (Z)-3-hexene can be treated with D_2 in the presence of a platinum catalyst. How are the products from these two reactions related to each other?
 - a. The (E)- and (Z)-isomers generate the same products in exactly the same amounts.
 - b. The (E)- and (Z)-isomers generate the same products but in differing amounts.

C The products of the two isomers are related as diastereomers.

- d. The products of the two isomers are related as enantiomers.
- e. The products of the two isomers are related as structural isomers.




21. Consider how the I-Cl bond is polarized and predict the product which results when this mixed halogen adds to 1-methylcyclohexene.



Ţ

22. β -Ocimene is a perfume. Suggest a possible structure for β -ocimene that is consistent with the following information.



25. Provide reagents to carry out the following transformation: (3 steps minimum)

